

Apptimized TO GO Agent integration

Enable Apptimized TO GO agent

The one-time configuration is available for project administrators under **Settings** in the project menu > **Apptimized TO GO** section. Apptimized - TO GO becomes active when switched on.



Settings are persisted on click to **Save** button.




If the endpoint connects to the internet via the proxy server, configure the connection by turning on **Enable proxy** and selecting **Use default windows credentials** or providing credentials in

Username and **Password** fields.

Settings are persisted on click to **Save** button.


In case of success, Apptimized shows the following notification:




Apptimized TO GO agent installer

The integration procedure ends up with the installation of Apptimized TO GO Agent to the endpoint PC.

The installer is available for project administrators under **Settings** in project menu > **Apptimized TO GO** section > **Download Apptimized - TO GO installer** button.




The installer comes compressed in the **ApptimizedTOGO.zip** archive.




Installation starts by launching **install.cmd.**

Apptimized TO GO agent installs silently and takes few minutes to complete.




Apptimized TO GO agent launches from the Start menu:




Application import

To run the **Discovery** or **Testing** process via **Apptimized TO GO** the application must be imported to the project.

The option to start the import is called “**Classic import**”. It is available under **Import** in project menu > **Start Import** section > **Classic import** option.




The initial preparation process may take a while. In case of success, Apptimized shows the **Upload sources and discovery document** step.




Three options to upload **Installation Source** are available:


- Upload application file from customer's PC;




- Upload application file from the Internet;



- Upload application file from the file storage.



The **Installation Source** uploading progress is shown as follows:




The uploading time depends on the application's size. When the download of the application is completed, the customer can start uploading another application. **Five** application uploads are available for one session.

Uploading **Discovery Document** is optional. A discovery document can be generated in previous sessions.


One discovery document upload is available for **one** session.

The **Upload sources and discovery document** step finalizes by clicking on the **Next** button.

Apptimized shows the **Metadata** step when successful.



The process reverts to the previous step by clicking on the **Upload sources and discovery document** button.



To extract the application metadata automatically a customer can select the main installer from the list on the left or can enter the metadata manually into the fields on the right. All required fields have * in front of their label.

The following metadata will be provided:

Table 1. Application metadata

Metadata	Details


Application ID	The application ID is a unique identifier generated automatically for every application during its upload. Application ID provides application identification.
Reference	This field is optional and can stay blank. This field provides additional comments from a customer to the Apptimized portal (i.e. internal application ID).
Vendor	This field defines the vendor name (i.e. Tim Kosse). This is a required field.
Software	This field defines the application name (i.e. FileZilla). This is a required field.
Version	This field defines the application version (i.e. 3.46.3). This is a required field.
Language	This field defines the application language (i.e. English (United States)). This is a required field.
A previous version of an application	This field defines if the previous version of the application is available in the portfolio. The default value is **None, it is the first version of the application in the portfolio**. A click opens a dropdown list to select the previous version of the application from the list.
Enable Echo	This option defines if Echo is needed to be enabled. The Echo is enabled by default.

The prerequisites can be added by clicking on the **Add prerequisites** button.

> A prerequisite may be a specific application that must be installed before the target application.


A field "**Select media type for** ..." is filled automatically can be changed if needed.

A prerequisite is added by clicking on the **Save** button. Apptimized shows the following notification when successful:




Current prerequisites can be changed by clicking on the **Edit prerequisites** button and by following the same set of operations as for adding a prerequisite.





The **Metadata** step finalizes by clicking on the **Finish** button.

A **Transition screen** for application immediately appears where the **Workflow scheme** and modalities for interaction with the application (namely discovery, packaging, testing) are available.



Apptimized TO GO can be used only for **Discovery** and **Testing**.

Revision #24
Created 2020-03-12 13:36:32 UTC
Updated 2022-04-06 09:18:07 UTC